

Specification Summary

Name

Type III - MX164



Specifications

Overall Length 271" - 278" (688 cm - 706 cm)
 Overall Width 95" (241 cm)
 Overall Height 106" ((269 cm)**
 Headroom 72" (183 cm)
 Wheelbase 158" -159" (401 cm - 404 cm) *
 Payload Capacity Up to 4500 lbs (2041 kg)

Sales Options by Category

10-Base (BAS)

Item Number	Name/Description	Quantity
-------------	------------------	----------



BAS-BON-11	No Bond Required No Bond Required	1.00
BAS-GPO-11	No GPO Contract Required No Group Purchasing Organization contract required	1.00
BAS-PLA-13	TYPE III - MX164 TYPE III - MX164	1.00
BAS-REG-11	United States Sales Administration Charge	1.00
BAS-SUR-11	Surcharge - MX164 Surcharge - MX164	1.00

11-Chassis (CH*)

Item Number	Name/Description	Quantity
CHC-FRD-00	Conversion Ford E350/E450 Cutaway Conversion Ford E350/E450 Cutaway	1.00
CHC-FRD-15	Ford E450 DRW Gas V8 Cutaway 4X2 158 Ford E450 DRW Cutaway 4 X 27,3L Triton V8 Gasoline Engine Wheelbase 158" (4013 mm) GVWR (Gross vehicle weight rating) 14,500 Lbs / 6,577 Kg	1.00
SR00158752	Fenderettes, Rubber ILOS Fiberglass Approved. A rubber 'lip' will be added to the regular fiberglass fender. Original: Fenderettes, Rubber ILOS Fiberglass	1.00

13-Module (MOD)

Item Number	Name/Description	Quantity
MOD-ALU-18	MX164 Ambulance Module All Aluminum ambulance module structure, doors structure and accessories. (Included)	1.00
SR00159353	All exterior compartment shelves to have straps All exterior compartment shelves to have straps (1 x S2 / 2 x S3 / 2 x C1)	1.00

14-Module Configuration (MCF)

Item Number	Name/Description	Quantity
MCF-CC1-11	C1 Door, ALS Access and Battery Location First door on curbside (C1) for ALS compartment access and battery slide out sealed compartment. (Included)	1.00
MCF-CC2-12	C2, Curbside Entry Door, with Sliding Window Side entry door on curbside (C2) for patient compartment access, with flush-mounted, automotive-style opening window.	1.00
MCF-CC3-11	C3 Door, Storage Exterior Compartment Third door on curbside (C3) for backboard or other storage. (Included)	1.00
MCF-CC3-13	Stair Chair Location, Two (2) Adjustable Shelves Stair chair location with two (2) adjustable shelves and retaining safety belt for backboard in C3 compartment.	1.00
MCF-CML-13	4"-Diameter Compartment Lights, LED 4"-diameter LED Compartment lights. With Side entry Door Steps.	1.00
MCF-RDR-13	A1 and A2, Rear Entry Doors, with Defrost Two (2) rear entry doors for patient compartment access, each with its individual exterior door handle. Includes frameless flush-mounted tinted windows and defrost feature.	1.00
MCF-SS1-11	S1 Door, Main Oxygen Exterior Compartment First door on streetside (S1) for main vertical oxygen cylinder. (Included)	1.00
MCF-SS2-11	S2 Door, Storage Exterior Compartment, Electrical Second door on streetside (S2) for equipment storage. Upper enclosed electrical compartment. MX164/MXP150 (Included)	1.00



MCF-SS2-13	Stair Chair Holder on Compartment Door Stair chair holder on S2 compartment door.	1.00
MCF-SS2-16	Half-Depth Shelf, One (1), Adjustable One (1) half-depth, adjustable shelf in S2 compartment.	1.00
MCF-SS3-13	Full-Depth Shelves, Two (2), Adjustable Two (2) full-depth, adjustable shelves in S3 compartment.	1.00
MCF-SS3-26	S3 Compartment, Equipment Storage, Short Third door on streetside (S3) short for equipment storage.	1.00
SR00158753	Condensor for 110V/12V system, Mounting location Move up the front condenser at the height of front module lights. Remove the three middle lights. Original: External condensor on front of module to be mounted as high as possible for cab mounted light bar.	1.00
SR00162969	Equipment Strap (Seat Belt Style) Compt. S1 on forward wall Equipment Strap (Seat Belt Style) Compt. S1 on forward wall	1.00

15-Lighting (LGT)

Item Number	Name/Description	Quantity
LGT-LSL-14	Turn Signal Lights, Amber (2), LED Two (2) amber turn-signal lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights.	1.00
LGT-RSL-14	Rear Step Plate: Turn Signal Light, Brake, Reverse Two (2) red brake/tail lights, two (2) amber turn lights, and two (2) reverse lights installed in rear step plate. Round LED lights.	1.00
LGT-RSL-18	Third Upper Brake Light, LED Third upper brake light at rear of module. Whelen M6 series (6 x 4) LED light.	1.00
LGT-TPL-11	Marker Lights, Amber (7) and Red (7), LED Seven (7) front upper center and corner amber LED marker lights. Seven (7) rear upper center and corner red LED marker lights.	1.00
LGT-TPL-12	Marker Lights, Two (2) rear mid-height red LED Two (2) rear mid-height red LED marker lights.	1.00

16-Emergency and Working Lights (EWL)

Item Number	Name/Description	Quantity
EWL-ACC-11	Clear Lenses Clear lenses.	1.00
EWL-BEZ-11	Chrome bezels Chrome bezels	28.00
EWL-FWD-35	Emergency Lights, (7) LED (M9) Seven (7) LED emergency lights on front of module. Whelen M9 series (10 x 6) and M7 (7 x 3) LED lights. (Standard setup includes (2) red M9 / (1) red M7 / (1) white M7 / (1) red M7 / (2) red M9)	1.00
EWL-GRL-19	Lights in Front Grille, (4) LED (M7), Wig-Wag Four (4) lights in front grille with Wig Wag flash pattern. Whelen M7 series (7 x 3) LED lights. (Standard setup includes (2) red and (2) clear)	1.00
EWL-INT-11	Emergency Lights on Inside of Doors, One (1) each One red emergency light on each compartment and entry door inside panel. Total of eight (8) round LED lights.	1.00
EWL-ITC-14	Intersection Lights, (2) LED (M7) Two (2) intersection lights with turning priority. Whelen M7 series (7 x 3) LED lights. (Standard setup contains red/clear lighting)	1.00
EWL-ITC-19	Bezel 15 deg metal for intersection lights 15 deg bezel for intersection lights on cabin fenders	1.00
EWL-LTI-12	Emergency Lights, (2) LED, Inter. Side Mount (M7)	1.00



EWL-LTS-18	Two (2) emergency lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights. (Standard setup contains red lighting) Four (4) LED lateral emergency lights (M9)	1.00
EWL-LTS-20	Four (4) lateral emergency lights (two (2) on each side). Whelen M9 series (10 x 6) LED lights. (Standard setup contains red lighting) Scene Lights, Four (4), Clear LED, (M9)	1.00
EWL-RER-17	Four (4) lateral scene lights (two (2) on each side). Whelen M9 series (10 x 6) LED scene lights. Emergency Lights, (2) LED, Rear Corners (M9)	1.00
EWL-RER-18	Two (2) rear emergency lights at upper rear corners. Whelen M9 series (10 x 6) LED lights. (Standard setup contains red lighting) Emergency Lights, (2) LED (M6)	1.00
EWL-RER-19	Two (2) rear upper lights. Whelen M6 series (6 x 4) LED lights. (Standard setup contains amber lighting) Loading Lights, Two (2), LED (M6)	1.00
EWL-RER-20	Two (2) rear loading lights. Whelen M6 series (6 x 4) LED lights. Emergency Lights, (2) LED, Addt'l, Window Hgt (M9)	1.00
EWL-UPG-13	Two (2) additionnal lights at window height. Whelen M9 series (10 x 6) LED lights. (Standard setup contains red lighting) Upgrade Emergency lights to SPLITS (red/white)	4.00
SR00155437	Upgrade - Standard SOLID Lights to SPLIT color red/white. Specify quantity and location : 4 lights in front grill to be split red/white REAR OF MODULE UPPER BRAKE, AMBER ILOS	1.00
SR00155438	REPLACE THE CENTER UPPER REAR MODULE BRAKE LIGHT WITH AMBER ILOS. WILL ACTIVATE WITH SEPARATE SWITCH AND REVERSE WARNING LIGHTS, PROGRAMMING	1.00
SR00155439	ALL WARNING LIGHTS (LESS FRONT GRILLE, INTERSECTION LIGHTS AND REAR BRAKE LIGHTS HAVE CONTINUOUS ON OUTPUT) PROGRAM TO SINGLE FLASH 300 FOR MAXIMUM IMPACT, USE SYNC WIRE ON EACH LIGHT REAR OF MODULE REAR WINDOW LIGHTS OVERRIDE	1.00
SR00155440	WINDOW LEVEL 900 WARNING LIGHTS TO OVERRIDE TO BRAKE LIGHTS IN AND OUT OF EMERGENCY MODE. UPPER REAR MODULE, BLUE LIGHTS ILOS AMBER	1.00
SR00158751	REPLACE UPPER REAR MODULE AMBER LIGHTS WITH BLUE Light Bar, Cab Mounted, Whelen Liberty 54" LED	1.00
SR00159349	-One (1) Whelen Liberty II 54" LED light bar shall be mounted to the chassis cab roof. The patternfor this light bar shall be as follows: Corner Red/Red/Clear/Red/Clear/Clear/Red/Clear/Red/CornerRed. The lights shall operate from a switch on the master control console, labeled "Flashers". Allwith clear lens. Front Module Upper Lighting layout	1.00
SR00159352	Front of module upper warning lights to be Red/White/Condensor/White/Red. Lights above wheel well	1.00
SR00162970	Red and amber lighting above wheel well to be equally and symmetrically spaced. Rear Module Upper Warning Lights to be M9 ILOS	1.00
	Approved. Rear upper module lights to be M9 all across the back ILOS.Original: Rear Module Upper Warning Lights to be M9 ILOS	

17-Audible Warning System (WRN)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
WRN-BUA-11	Back-Up Alarm Back up alarm (97dB) with override switch. (Included)	1.00
WRN-LFS-11	Whelen Howler Low Frequency Tone Siren	1.00



	Whelen Howler is a add-on to any 100/200 watt siren amplifier. Uses low frequency tones to synchronize with the vehicles primary siren tones. Includes low frequency siren amplifier and speakers.	
WRN-SIR-11	Whelen 295SLS Hands-Free Siren	1.00
	Whelen model 295HFSA1 siren amplifier with 17 Scan-Lock™ siren tones.	
WRN-SPK-11	Whelen SA315 Series Speakers	1.00
	Whelen SA315 series speakers is a compact speaker meeting SAE Class A requirements when paired with Whelen 100 watt siren amplifier.	
SR00159351	Cast Products Speakers ILOS through front chassis bumper	1.00
	Cast Products Speakers ILOS through front chassis bumper + Replace 4 x M7 lights in front grille by 4 x Whelen Ion	

18-Exterior Vehicle features (VFT)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
VFT-CHP-11	Chrome wheel simulator Chrome wheel simulator	1.00
VFT-FUL-11	Quarter-Tank Fuel Fill Quarter-tank fuel fill.	1.00
VFT-MIR-11	OEM exterior mirrors Keep OEM exterior mirrors	1.00
VFT-MOP-11	Module Rub Rails, Aluminum Aluminium rub rails on module sides. (Included)	1.00
VFT-MOP-12	Module Corner Protectors, Stainless-Steel Stainless-steel protectors on module corners. (Included)	1.00
VFT-MOP-13	Module Wheel Trims, Fiberglass Formed fiberglass wheel trimming on module.(Included)	1.00
VFT-MOP-14	Undercoating Protection Undercoating protection for module and chassis. (Included)	1.00
VFT-MOP-15	Rear Wheel Mud Guards Mud guards on module for rear wheels. (Included)	1.00
VFT-PLT-12	Chrome License Plate with Light Recessed chrome license plate holder with LED light.	1.00
VFT-STP-11	Cab Steps, Anti-Skid Material with Mud Guards Anti-skid lateral steps. Includes mud guards for front wheels. (Included)	1.00
VFT-STP-12	Rear Step Bumper, Retractable Center Section Anti-skid rear retractable step. Diamond plate corner bumper. Rubber bumperette. (Included)	1.00

19-Convenience (CNV)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
CNV-ACC-13	Valet Switch in Front Grille The door unlock valet switch is located on the back of the front grille, on the driver's side half portion of the grille. It allows to unlock all doors of the vehicle, but cannot lock the doors. (Included)	1.00
CNV-ACC-15	Demers Fast Idle Demers fast idle is generated by the multiplex module, it allows fast charging of the batteries by the engine when specific conditions are met. (Included)	1.00
CNV-CAM-11	Black Back-Up Camera RearView Safety standard back-up camera with build-in audio support and infra-red night vision.	1.00



CNV-CAM-12	Black Dome Interior Camera RearView Safety dome interior camera with build-in audio support and 130 degree viewing angle.	1.00
CNV-CAM-19	7 inch Mirror Monitor RearView Safety 7" backup digital LCD mirror monitor is a stand-alone monitor and cable kit that connects to camera(s) installed on your vehicle.	1.00
CNV-LCK-11	Anti-Theft System The anti-theft allows leaving the vehicle without keys and the engine running to keep the vehicle at the ideal operating temperature. It protects against theft by turning off the engine if the vehicle moves. (Included)	1.00
CNV-LCK-12	ECOSMART Anti-Idling System The ECOSMART Anti-Idling System automatically stops and restarts the engine of the vehicle in idling conditions. The ECOSMART Anti-Idling System is managed by the Demers Electronic MultiplexSystem (DEMS).	1.00

21-Paint and Decals (DEC)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
DEC-PNT-11	Urethane Paint Two (2) coats of primer with two (2) coats of urethane. All four (4) sides and roof. No sanding. No buffing.	1.00

22-Drivers Compartment (CAB)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
CAB-ACC-16	Fire extinguisher (5 lbs) ABC with bracket Fire extinguisher (5 lbs) ABC with heavy duty bracket	1.00
CAB-CTR-11	Control Center with Switches and Touch Pad Control center with switches and LED backlit pictograms in the Heads-up control center.	1.00
CAB-LGT-11	Cab headliner with Reading Lights, Red/Clear (2) Two (2) clear and red overhead LED reading lights.	1.00

23-Curbside Configuration (CRB)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
CRB-NET-11	Safety Net Safety net at the head of the curbside configuration, by the side entry door (C2).	1.00
CRB-TEC-11	Full-Length Seat Cushion Full-length, thermoformed, molded seat cushion.	1.00
CRB-TEC-14	Seat Backrest Individual, thermoformed, molded backrests.	3.00
CRB-TEC-23	Seating, Three (3) Passengers, 6-Pt Safety Belts Seating for three (3) passengers with 6-point safety belts. Space for Flip-down and hands-free opening mechanism.	1.00
SR00155442	Harness Clips Seats-Upgraded UPGRADE to Pro4 harness on curbside squad bench and attendant seat. Original: Harness Clips Seats-Upgraded	1.00

24-Streetside Configuration (STR)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
STR-ACS-23	Flip-Up Door, Tinted Self Latching Sliding Windows	4.00



STR-MED-15	Aluminum flip-up frames, self latching for easy restocking of cabinets. Polycarbonate tinted self latching sliding windows. Medical Cabinet, Full Storage Medical cabinet with long counter top and full storage area.	1.00
------------	---	------

25-Forward Bulkhead (FWB)

Item Number	Name/Description	Quantity
FWB-DIV-13	Pivoting Door Crawl-Through Crawl through with pivoting door	1.00
FWB-LFT-14	Locking Radio Communication Compartment Lockable compartment for radio communication	1.00
FWB-RGT-12	ALS Cabinet, without Drawer ALS cabinet on curbside of front wall. Includes four (4) aluminum extruded doors with see-through windows, adjustable shelf(s), one (1) fixed shelf at mid-height, LED strip lighting, and inside/outside access via curbside door.	1.00
FWB-RGT-13	Compartment above ALS Cabinet, Lockable Lockable compartment located above the front wall ALS cabinet.	1.00
FWB-RGT-16	See-Through Door, Two Handles Four (4) extruded doors with see through windows and handles	1.00

26-Attendant Seat (AST)

Item Number	Name/Description	Quantity
AST-BSE-11	EVS Swivel Seat Base, Two (2) Positions EVS swivel 360 degrees seat base, locking in two (2) positions, forward and rearward positions	1.00
AST-HRS-12	EVS 1880 3Pts Vac-Formed Seamless Child Seat The EVS 1880 is a vac-form, seamless ambulance attendant's seat. Integrated child restraint system that allows uninjured children weighing between 20-65 lbs to be transported in a five point safety harness. When it is not needed, the child-insert can be folded into the seat and allow an adult to use the seat as a standard attendant's seat	1.00

27-Cot Configuration (COT)

Item Number	Name/Description	Quantity
COT-ANC-23	Floor Plate & Pre-wire Power-LOAD - GEN 2 (NEW) Stryker Power-Load floor plate. No cot fastener included. Include pre-wiring for charging feature. Default option for new Power-LOAD system from the field.	1.00
COT-POS-11	Center Floor-Mount Cot Configuration Center floor mount cot configuration	1.00
SR00159357	Move Cot Plate/Mount and Attendant seat Approved. Will be moved 4-6" closer (tbd by engineering) Original: Move Cot Plate/ Mount and Attendant seat-To be mounted as close to action area wall as possible.	1.00

28-Rear Control Panel (CAR)

Item Number	Name/Description	Quantity
CAR-AUX-11	Rocker Switch Controls with LED Backlit Pictograms Auxiliary Rocker switch controls with LED backlit pictograms.	1.00
CAR-CTR-11	Rocker Switch Controls with LED Backlit Pictograms Rocker switch controls with LED backlit pictograms.	1.00

29-Oxygen (OXY)

Item Number	Name/Description	Quantity
-------------	------------------	----------



OXY-NTW-14	Oxygen Outlets, Four (4) Four (4) oxygen outlets. Two (2) in ECC, one (1) on curbside, and one (1) on the ceiling.	1.00
OXY-OUT-11	Oxygen Outlet, Quick-Connect Quick-connect style oxygen outlet.	4.00
OXY-REG-11	Oxygen Regulator, Manual, 50 PSI Manual oxygen regulator (50PSI).	1.00
OXY-REG-13	Oxygen Control Valve, Electronic, Manual By-Pass Electronic oxygen control valve with manual by-pass.	1.00
OXY-SPO-24	Zico QRD-2 O2 clip for "D-size" cylinders Zico QRD-2 O2 clip for "D-size" cylinders. Details and location are as follows: ship loose	2.00
OXY-SPR-11	Universal Vertical Holder for Main Oxygen Cylinder Universal vertical holder for types "K" or "M" main oxygen cylinder in S1 streetside exterior compartment.	1.00

31-Suction (SUC)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
SUC-LOC-11	Suction System location in ECC Main suction system is located in front streetside action area.	1.00
SUC-MOT-11	Thomas high flow vacuum pump Thomas high flow vacuum pump	1.00
SUC-OUT-11	Vacuum outlet QD in action area Vacuum outlet QD Puritan with yellow 5/16" hose 4 ft long	1.00
SUC-REG-11	Vacuum regulator with disposable canister Vacuum regulator with disposable canister	1.00

32-Electrical System (ELE)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
ELE-ALT-11	Power Inverter, Xantrex Freedom, True Sine, 1000W The inverter/charger provides AC power using the DC power from the conversion battery bank. Recharge all battery banks and power all 120 volts AC outlets when the external shoreline is connected.	1.00
ELE-ALT-14	Super Auto Eject Power Inlet, 20 Amps, Yellow Kusmaull 120 Volts AC, 20 Amps - Automatically disconnects shoreline - Completely sealed - Yellow cover - Indicator light.	1.00
ELE-ALT-15	Electrical Outlet, 120V AC with Indicator 120V AC hospital-grade electrical outlets with indicator. (Included)	1.00
ELE-CON-13	ACDelco Conversion Batteries Two (2) ACDelco conversion Batteries. (Included)	1.00
ELE-CON-14	Electrical Outlet, 12V DC 20 amp with Indicator 12V DC, 20 amp Duplex electrical outlets. (Included)	1.00
ELE-GES-11	Demers Multiplex Electronic Management System Demers Electronic Management System (DEMS) – Multiplex system. (Included)	1.00
SR00155443	Solar Panel-Roof of Module Approved. 2 x Solar panel size 24 x 48 on module roof to recharge batteries. Original: Solar Panel-Roof of Module	1.00
SR00159356	Move 110V and 12V from FC to FB interior cabinet Move 110V and 12V from FC to FB interior cabinet	1.00

33-Communication System (COM)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
COM-RAD-11	Pre-Wiring for 2-Way Radio, Two (2) Antenna Cables Wiring preparation for two-way radio, with two (2) antenna cables.(routed from front cab to radio communication compartment)	1.00



COM-RAD-14	Radio Communications Compartment Radio communications compartment universal board, Bussmann blade-type fuse panels, and harness to power the radio communication devices.(12V battery feed, ground, ignition).	1.00
COM-REC-11	Data Recorder Available Signals Data recorder available signals through a universal connector in the electrical compartment. (Included)	1.00

34-HVAC (CVC)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
CVC-AUX-11	Dual In-Line condenser 45000 BTU, Front LP Auxiliary dual in line condenser low profile installed on front of module - Hoseline 45000 BTU	1.00
CVC-CLD-13	OEM Tie-In Air Conditioning/ Auxiliary Condenser The condenser and evaporator are tied-in to the OEM air conditioning system, cooling the air of the patient compartment through the ducted outlets.	1.00
CVC-DIF-11	Air Conditioning Outlets, Round Round outlets for ducted air conditioning unit. (Included)	1.00
CVC-HOT-11	OEM Tie-In Heating Unit The heating system is an extension of the OEM heating system, heating the patient compartment area through invisible opening underneath the medical cabinet at floor level. (Included)	1.00
CVC-VNT-13	Exhaust Fans (2) Two (2) exhaust fans for contaminated air. Activated by front control interface or rear console switch. (Included)	1.00

35-Interior Lights (ILG)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
ILG-PLF-11	LED Dome Lights, Adjustable, Dig. Timer The ceiling lights have four (4) different intensities. Each time the ceiling lights button is pushed, the intensity increases, until maximum intensity is reached.	8.00

36-Grab Handles (GBR)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
GBR-COL-12	Grab Bars Color, Yellow Color of selected grab bars is Yellow.	1.00
GBR-DRS-11	Rear Door-Mounted Grab Bars, 16" x 16" Two (2) door-mounted grab bars, 16" x 16", inside of rear doors (A1 and A2). (Included)	1.00
GBR-DRS-12	Curbside Door-Mounted Grab Bar, 12" One (1) door-mounted grab bar, 12" each, on the inside of the side entry door (C2). (included)	1.00
GBR-EMB-11	Embarking Grab Bars, 12" Two (2) entry grab bars, 12" each, mounted inside the patient compartment. One (1) near the curbside entry door, and one (1) near the R2 rear entry door. (Included)	1.00
GBR-PLF-11	Ceiling Grab Rails, 90", Two (2) Two (2) ceiling-mounted grab rails, 90".	1.00

37-Finish and Trim (FNS)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
FNS-FLR-17	Lonseal, Loncoin II FEATHERWEIGHT, Navy blue Lonseal, Loncoin II FEATHERWEIGHT, Navy blue	1.00
FNS-GRD-11	Cobalt Blue Upholstery Colbalt blue vinyl upholstery for seat and padding covering. (Included)	1.00



FNS-GRD-15	Safety Yellow Upholstery Yellow vinyl upholstery for safety exit padding covering. (Included)	1.00
FNS-MAT-11	Wood Flooring Exterior grade plywood, 0,75 inches thick.	1.00
FNS-PLF-11	Fiberglass Ceiling Fiberglass ceiling in Patient Compartment. (Included)	1.00
FNS-STK-11	General Vehicle Identification Vehicle general labels identification. (Included)	1.00

38-Functionality (FCT)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
FCT-LFT-23	Gloves Box (3) Holders at Rear of Medical Cabinet Recessed Gloves Box (3) Holders at Rear of Medical Cabinet	1.00
FCT-PLF-11	Radio Speakers, Recessed, Two (2) Two (2) recessed radio speakers.(Included)	1.00
FCT-PLF-12	Two (2) recessed/flexible IV hooks in ceiling Two (2) recessed/flexible IV hooks in ceiling	1.00
FCT-RGT-17	Combo Storage Compartment and Glove Box Holders Combo storage cabinet with LED strip lighting and sliding doors, and glove box compartment for three (3) boxes.	1.00
FCT-RGT-21	Trash Container, Flip-Down, Hands-Free Trash container bracket in curbside flip-down container.	1.00
FCT-RWR-11	Digital Clock, Driver and Step Indicator Lights Digital clock, rear step indicator light, driver intention indicator lights (direction, braker) located in padding above the rear doors.	1.00

39-Medical Equipment (MEQ)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
SR00159354	Sharps container, foot end of squad bench, Kendall 8970 Sharps container, foot end of squad bench, Kendall 8970	1.00